

FM synthesis



**New England
Digital™**

June 1987

COPYRIGHT

©1987 New England Digital Corporation. All rights reserved.

Synclavier® and Sample-to-Disk® are registered trademarks, and Sample-to-Memory™ and Direct-to-Disk™ are trademarks of New England Digital Corporation.

The material in this manual is for informational purposes only and is subject to change without notice. New England Digital Corporation assumes no responsibility for any errors which may appear in this manual.

Document number A05-0-0687

Part number

Contents

<i>Introduction</i>	1.1
<i>Programming partial timbres</i>	2.1
<i>Frequency modulation</i>	3.1
<i>Resynthesis</i>	4.1
<i>Partial timbre modifications</i>	5.1
<i>Real-time effects</i>	6.1
<i>Building and storing whole timbres</i>	7.1
<i>Index</i>	8.1

Contents by section

<i>Introduction</i>	
Sound wave analysis	1.2
Designing sounds for the Synclavier	1.8
Recalling sounds to the keyboard	1.16
<i>Programming partial timbres</i>	2.1
Selecting partial timbres	2.2
The steady-state waveform	2.8
The volume envelope	2.14
<i>Frequency modulation</i>	3.1
<i>Resynthesis</i>	4.1
<i>Partial timbre modifications</i>	5.1
Vibrato	5.2
Portamento	5.8
Amplitude modulation	5.9
Tuning	5.12
Volume	5.13
Chorus	5.14
Keyboard envelope	5.16
Stereo	5.19
Using the timbre displays	5.24
<i>Real-time effects</i>	6.1
Adding real-time effects	6.2
Expression inputs	6.10
<i>Building and storing whole timbres</i>	7.1
Combining partial timbres	7.2
Modifying the whole timbre	7.8
Timbre storage	7.16
<i>Index</i>	8.1

List of figures

<i>Sine wave</i>	1.3
<i>Harmonic spectrum</i>	1.3
<i>Sawtooth wave</i>	1.5
<i>Four sine waves</i>	1.5
<i>Harmonic spectrum</i>	1.5
<i>Clarinet harmonics</i>	1.7
<i>Chart of timbre design</i>	1.10
<i>Output jacks</i>	1.15
<i>Timbre directory</i>	1.17
<i>The partial timbre select buttons</i>	2.7
<i>Harmonic coefficients for selected waveforms</i>	2.11
<i>Sine waves with different phases</i>	2.13
<i>Typical volume envelope</i>	2.15
<i>Repeated notes</i>	2.19
<i>Sustaining timbre</i>	2.21
<i>Non-sustaining timbre</i>	2.23
<i>Non-sustaining timbre with final decay</i>	2.25
<i>Volume envelope summary</i>	2.27
<i>Frequency spectrum of a modulated sine wave</i>	3.3
<i>Frequency modulated harmonic spectra</i>	3.7
<i>Typical harmonic envelope</i>	3.9

List of figures (con't)

<i>Vibrato wave shapes</i>	5.3
<i>Amplitude modulation modes</i>	5.11
<i>Partial chorus settings</i>	5.15
<i>Stereo modes</i>	5.23
<i>Timbre display screens</i>	5.25
<i>Graphic timbre display</i>	5.27
<i>Numeric timbre display</i>	5.29
<i>Partial timbre display</i>	5.31
<i>Timbre frame display</i>	5.33
<i>3D harmonic display</i>	5.35
<i>Expression input controllers</i>	6.3
<i>Timbre parameter button states</i>	6.5
<i>Velocity sensitivity settings</i>	6.13
<i>Velocity response settings</i>	6.15
<i>Real-time effects summary</i>	6.25
<i>Recalling and placing partial timbres</i>	7.7
<i>Chorus settings</i>	7.13